

## AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:


### **Listing of Claims:**

1. – 24. Canceled

25. (New) A cosmetic composition comprising:

(A) an anhydrous mixture of:

(1) an aminosilicone with the structure:



wherein X is selected from the group consisting of CH<sub>3</sub>, OCH<sub>3</sub>, R, or a combination thereof; wherein R is selected from the group consisting of R'NH<sub>2</sub> and R'NHR''NH<sub>2</sub>; wherein R' and R'' are selected from the group consisting of ethylene, propylene, isobutylene, isopropylene, alkylene, and cycloalkylene alkylene ether; wherein m is 1 to 5; wherein n is 10 to 100; and wherein z is 8 to 450; and

(2) an organosiloxane resin; and

(3) a diorganopolysiloxane polymer; and

(B) a volatile carrier.

26. (New) The cosmetic composition of Claim 25, further comprising the group consisting of thickeners and structure builders, wherein the thickeners and structure builders are selected from the group consisting of organically modified

clays, fumed silica, silgels, alkyl silicone waxes, silicone polyamide, diblock/triblock copolymers and silsequioxane crosspolymers.

27. (New) The cosmetic composition of Claim 26, wherein the organically modified clay is selected from the group consisting of hectorite, bentonite, smectite, montmorillonite clay, and mixtures thereof.
28. (New) The cosmetic composition of Claim 25, wherein the organosiloxane resin comprises  $R_3SiO_{1/2}$  "M" units,  $R_2SiO$  "D" units,  $RSiO_{3/2}$  "T" units,  $SiO_2$  "Q" units and mixtures thereof in a ratio selected to satisfy the relationship  $R_nSiO(4-n)/2$ , wherein n is from about 1.0 to about 1.50 and R is a methyl group.
29. (New) The cosmetic composition of Claim 25, wherein the organosiloxane resin comprises  $R_3SiO_{1/2}$  "M" units and  $SiO_2$  "Q" units wherein the ratio of  $R_3SiO_{1/2}$  to  $SiO_2$  is about 0.6 to about 2.0.
30. (New) The cosmetic composition of Claim 25, wherein the aminosilicone has a viscosity of from about 100 cSt to about 2,000,000 cSt at 25°C.
31. (New) The cosmetic composition of Claim 25, wherein the diorganopolysiloxane polymer has a viscosity of from at least about 1,000,000 cSt at 25°C.
32. (New) The cosmetic composition of Claim 25, wherein the volatile carrier is selected from the group consisting of volatile hydrocarbon, volatile silicone, and mixtures thereof.
33. (New) The cosmetic composition of Claim 32, wherein the volatile carrier is isododecane.

Appl. No. 10/824,118  
Docket No. 9209M  
Amdt. dated April 28, 2009  
Reply to Office Action mailed on January 28, 2009  
Customer No. 27752

34. (New) The cosmetic composition of Claim 25, wherein the composition is paired with a topcoat product comprising a safe and effective amount of modified silicones selected from the group consisting of aminosilicones, carboxy modified silicones, epoxy modified silicones, and mixtures thereof.
35. (New) The cosmetic composition of Claim 25, wherein the composition is paired with a topcoat product comprising a safe and effective amount of a polymeric vegetable oil emollient.
36. (New) The cosmetic composition of Claim 25, wherein the composition is paired with a topcoat product comprising a safe and effective amount of a silicone modified fluorinated polymer.